- Modulation Schemes with Prescribed Decoding Delay IEEE Trans. on Information Theory, Vol. 48, Number 5, May 2002
- [1891] L. Blazevic, S. Giordano, J.-Y. Le Boudec [BlazevicGL:02a] Self Organized Terminode Routing Cluster Computing J, 5(2) April 2002
- [1892] Mark Heitmann, Peter Aschmoneit [HeitmannA: 02a] Customer Centred Community Application Design International Journal on Media Management (4:1, Spring 2002)
- [1893] S. Capkun, M. Hamdi, J. P. Hubaux [CapkunHH:
  02] GPS-free Positioning in Mobile Ad-Hoc Networks In Cluster Computing Journal, April 2002, Vol. 5, No. 2
- [1894] Magaly Dubosson, Alexander Osterwalder, Yves Pigneur [DubossonOP:02] eBusiness Model Design, Classification and Measurements Thunderbird International Business Review, January 2002, vol. 44, no. 1: 5-23
- [1895] K. Aberer, M. Punceva, M. Hauswirth, R. Schmid [AbererPHS:02] Improving Data Access in P2P Systems IEEE Internet Computing, January/February 2002, pp. 58-67
- [1896] L. Blazevic, L. Buttyan, S. Capkun, S. Giordano, J. P. Hubaux, J. Y. Le Boudec [BlazevicBCGHL:01] Self-Organization in Mobile Ad-Hoc Networks: the Approach of Terminodes IEEE Communications Magazine, June 2001.
- [1897] S. Serveffo, K. Nahrstedt [ServetioN:01] Broadcast-Quality Video over IP IEEE Trans on Multimedia, 3(1):162-173, March 2001
- [1898] J. P. Hubaux, Th. Gross, J. Y. Le Boudec, M. Vefferli [HubauxGLV:01] Towards self-organized mobile ad hoc networks: the Terminodes project IEEE Communications Magazine, January 2001.
- [1899] Evaluation of the Zaurus SL5600 PDA as a platform for ad-hoc networking L. Previtali www.terminodes. org/MV2003-Present/Lu13/Zaurus\_Previtali.pdf Simulating large ad-hoc networks with ns-2 V. Naoumov, www.terminodes.org/MV2003-Present/Lu13/Simulating-Naoumov.pdf
- [1900] Security of emergent properties in ad-hoc networks Prof. V. Gligor, Univ. of Maryland www.terminodes.org/ MV2003-Present/Ma14/Gligor-MonteVerita.pdf
- [1901] On the self-organization of security in multi-hop networks Prof. JP. Hubaux www.terminodes.org/MV2003-Present/Ma14/Multi-Hop-JPH.pdf
- [1902] Immune Networking Systems Prof. J.-Y. Le Boudec www.terminodes.org/MV2003-Present/Ma14/ImmuneLeBoudecpdf
- [1903] Fair exchange with guardian angels G. Avoine www.terminodes.org/MV2003-Present/Ma14/FairExchange-Avoine.pdf
- [1904] Spatial analysis of mobile ad-hoc networks under the Signal to Interference Ratio connectivity model Prof. F. Baccelli, Ecole Normale Supérieure and INRIA, Paris www.terminodes.org/MV2003-Present/Me15/Spacial-Baccelli.pdf
- [1905] Connectivity and interferences in wireless ad-hoc networks, a percolation approach O. Dousse www.terminodes.org/MV2003-Present/Me15/OlivierDousseMonteverita.pdf
- [1906] Ad-hoc networks: the worst and the average case Prof. R. Wattenhofer www.terminodes.org/MV2003-Present/Me15/MV-Wattenhofer.pdf www.terminodes.org;

- www.google.com/search?&g=terminodes; www.ietf.org/html.charters/manet-charter.html.
- [1907] citeseer.nj.nec.com/
  - cs?cs=1&q=manet&submit=Documents; www.google.com/search?&q=%22ad+hoc %22+and+game
- [1908] citeseer.nj.nec.com/cs?cs=1&q=game+and+ %22ad+hoc %22; carmen.cselt.it/idxwg/manet.html
  - 1. A digital communication network node, comprising: a digital packet radio transceiver;
- an antenna array interfaced with the digital packet radio transceiver, configured to define a directional pattern supporting plurality of distinct spatial communication channels within a band having a plurality of frequency channels, wherein the plurality of distinct spatial communication channels permit concurrent spatial reuse of frequency channels; and
- at least one automated processor configured to control the digital packet radio transceiver, and to:
  - detect channel conditions based on a feedback protocol between the digital packet radio transceiver and a remote digital packet radio system, selectively controlling the digital packet transceiver to transmit information responsive to the channel conditions; and
  - detect another digital packet radio transceiver concurrently using the same frequency channels, and selectively control in dependence on information from the other digital packet radio transceiver, an interference with the other digital packet radio transceiver by one of:
  - deferring to transmissions by the other digital packet radio transceiver, and
  - competing with transmissions by the other digital packet radio transceiver.
- 2. The digital communication network node according to claim 1, wherein the antenna array comprises a phased antenna array.
- 3. The digital communication network node according to claim 1, wherein the digital packet radio transceiver operates in at least a 5.9 GHz band between 5.850 GHz and 5.925 GHz.
- **4**. The digital communication network node according to claim **1**, wherein the digital packet radio transceiver is compliant with an IEEE-802.11 protocol.
- **5**. The digital communication network node according to claim **1**, wherein the digital packet radio transceiver operates using orthogonal frequency division multiplexing.
- **6**. The digital communication network node according to claim **1**, wherein the at least one automated processor is further configured to control the digital packet radio transceiver to forward information wirelessly received from a first digital communication network node to a second digital communication network node.
- 7. The digital communication network node according to claim 6, wherein the at least one automated processor is further configured to forward the information selectively dependent on a secure cryptographic token received from the other digital packet radio transceiver.
- **8**. The digital communication network node according to claim **1**, wherein the at least one automated processor is further configured to control the use of frequency channels selectively in dependence on a secure cryptographic token received from the other digital packet radio transceiver.